

**ASTM D 445 - ISO 3104 - IP 71 - DIN 51366**

**SCOPE**

Standard Test Method for Kinematic Viscosity of Transparent and Opaque Liquids and Calculation of Dynamic Viscosity

**AUTOMATIC VISCOMETER WASHER**  
**-VTW CLASSIC-**  
**-REF 18450-**

**MAIN CHARACTERISTICS**

- ✓ 6 nozzle stoppers
- ✓ It allows external and internal washing of all current types of viscometer tubes.
- ✓ Viscometer tubes are suspended in solvent vapors at 80°C
- ✓ Very fast cleaning (5 to 15 min) for 6 viscometer tubes
- ✓ Negligible solvent consumption
- ✓ Heating element

**SCOPE OF DELIVERY**

VTW CLASSIC delivered ready for use with :

- REF 18454** Injector stopper
- REF 18455** Glass cleaning bath
- REF 21694** Heating controller – regulation card
- REF 21508** Injectors x6
- REF 18456** Universal glass bell (without injector)
- REF 18457** Stopwatch

**RECOMMENDED SOLVENT (Health safe)**

- REF 25714** BIO 2000 E pre-cleaning solvent (can of 20L)
- REF 25704** Biosane T 218 TB solvent (5 kg)
- REF 25700** Biosane T 218 TB solvent (35 or 30 kg)



**ORDERING INFORMATION**

**REF 18450**

Ready For use on AC 230V, 50/60 Hz - 16A -

**REF 18450 / 115V on request**

(W) 400x (D) 400x (H) 1000 mm (± 30 kg)

CONTACT : [sales@normalab.com](mailto:sales@normalab.com)

NORMALAB FRANCE SAS  
ZA Caux Multipôles 1 - F-76 190 Valliquerville  
Tel. : +33 232 700 100  
Fax : +33 232 704 732

[www.normalab.com](http://www.normalab.com)

REF 18450 Leaflet 14rev1

DISTRIBUTED BY